


FTTH Drop Cable.

The Fibrava collection.



Indoor. Outdoor. Split-type.

G657A optical fiber. LSZH jacket.

PRODUCT CATALOGUE

Built for FTTH.

Fiber to the home.

Fibrava Fiber Optics supplies optical fiber drop cables for FTTH connection projects. Choose indoor, outdoor or split-type constructions to match your specified installation requirements.



OPTICAL FIBER

G657A

JACKET

LSZH
Low smoke zero halogen

FIBER COUNTS

1 / 2 / 4 fibers

For your business.

For distributors, wholesalers, ISPs, installation contractors and project buyers.

Manufactured by Shandong Guangda in China. Reel lengths and packing can be specified for your order.

Black or white jackets. Wooden or plastic reels.
500 m, 1,000 m or 2,000 m per reel. Custom lengths available.

Cross-sections are schematic; not to scale.

The full collection.

16 variants across four cable structures.
Select a series, fiber count and jacket color.

Indoor drop cable

[DETAILS / 04](#)



1 fiber
White



1 fiber
Black



2 fibers
White



2 fibers
Black



4 fibers
White



4 fibers
Black

Outdoor drop cable

[DETAILS / 05](#)



1 fiber
White



1 fiber
Black



2 fibers
White



2 fibers
Black




4 fibers
White



4 fibers
Black

Indoor split-type

[DETAILS / 06](#)



2 fibers / White



2 fibers / Black

Outdoor split-type

[DETAILS / 07](#)



2 fibers / White




2 fibers / Black

Cross-sections are schematic; not to scale.

Indoor.

FTTH drop cable.

Two steel strength members. Available with 1, 2 or 4 fibers.




White



Black

Compare fiber counts.



FIBER / JACKET

G657A / LSZH

STRENGTH MEMBERS

2 × Ø0.4 mm steel

COLORS


Black / White

Cross-sections are schematic; not to scale.

Outdoor.

FTTH drop cable.

Self-supporting construction. An additional steel messenger.




White



Black

Compare fiber counts.



FIBER / JACKET

G657A / LSZH

STRENGTH MEMBERS

2 × Ø0.4 mm steel

MESSENGER


Ø0.8 / Ø1.0 mm steel

Cross-sections are schematic; not to scale.

Split-type.

Indoor.

Two fibers. Four steel strength members.



White



Black



FIBER / JACKET

2 fibers, G657A
LSZH jacket

Cross-sections are schematic; not to scale.

STRENGTH MEMBERS

4 × Ø0.4 mm steel


COLORS

Black / White

Split-type.

Outdoor.

Two fibers. Four strength members. One steel messenger.



White



Black



FIBER / JACKET

2 fibers, G657A
LSZH jacket

STRENGTH MEMBERS

4 × Ø0.4 mm steel

MESSENGER

Ø0.8 / Ø1.0 mm steel

Cross-sections are schematic; not to scale.

Products. Packing. Supply.

Real product reels and factory inventory.



PRODUCT REELS



INVENTORY / BACKGROUND RETOUCED

REEL LENGTH

500 / 1,000 / 2,000 m

Custom lengths available

REEL MATERIAL

Wooden or plastic

Your order. Your requirements.

Specify the cable construction, reel length and packing format.

The last connection.

Indoor and outdoor ranges. Both available in black and white.



INDOOR / BLACK & WHITE AVAILABLE

White cable shown at the subscriber termination point.



OUTDOOR / BLACK & WHITE AVAILABLE

Application illustrations. Refer to pages 4-7 for cable construction.

Reel specifications.

Reel dimensions and weight including the reel.

CONSTRUCTION	L × W × H cm	WEIGHT kg, incl. reel
Indoor / 1 fiber / 2 steel wires	30 × 30 × 16	10.5
Indoor / 2 fibers / 2 steel wires	30 × 30 × 16	10.5
Indoor / 4 fibers / 2 steel wires	30 × 30 × 16	10.5
Outdoor / 1 fiber / 3 steel wires	30 × 30 × 31	17.5
Outdoor / 2 fibers / 3 steel wires	30 × 30 × 31	17.5
Outdoor / 4 fibers / 3 steel wires	30 × 30 × 31	17.5
Indoor split / 2 fibers / 4 steel wires	30 × 30 × 31	17
Outdoor split / 2 fibers / 5 steel wires	30 × 30 × 31	21

Dimensions refer to the reel, not the outer carton.

Weight includes the reel; it is not stated as shipping gross weight.

Confirm reel length and final shipment details with your quotation.

Your specification.

Your next order.

Choose your cable structure, fiber count and packing format.
Contact us for a quotation based on your requirements.



REEL LENGTH

500 / 1,000 / 2,000 m
Custom lengths available

REEL MATERIAL

Wooden or plastic

For your quotation.

- 01 Cable series, fiber count and color
- 02 Reel length and order quantity
- 03 Outdoor messenger: 0.8 or 1.0 mm
- 04 Destination country and port

Let's talk.

facebook.com/FIBRAVA